
1 Article 10. Signs and Lighting

2 Section 1001 Purpose

3		purpose of this Article is to:			
4		Encourage signage that is both clear and of appropriate scale for the project.			
5		Upgrade the visual character of commercial areas			
6 7	(c)	Provide a comprehensive sign program that creates consistent design criteria for the entire Island of Saipan.			
8	(d)	Enhance the visual quality of signage through the use of complementary sizes, shapes,			
9		colors, and methods of illumination.			
10	(e)	Provide signage requirements that meet commercial tenant needs.			
11	(f)	Preserve the right of free speech and expression.			
12	Section	a 1002 Exemptions			
13	The foll	owing are exempt from the requirements of this Law:			
14	(a)	Artwork;			
15	(b)	A sign that cannot be viewed from a public right-of-way, public park, public facility, or			
16		public open space;			
17	(c)	A sign required by law or regulation;			
18	(d)	A government sign regulating the flow of traffic;			
19	(e)	A flag of a government entity;			
20	(f)	A political campaign sign that is more than 50 ft from an intersection and no more than 6 ft			
21		high;			
22	(g)	A sign integrated into or on a coin-operated machine, vending machine, gasoline pump, or			
23		telephone booth;			
24	(h)	A sign painted, mounted or displayed on a vehicle or equipment that is regularly moved in			
25	(•)	the normal day-to-day operations of an on-site business; and			
26	(i)	A sign carried by a person.			
27	Section	n 1003 General Requirements for Non-Single Family Development			
28	•	gn for non-single family development shall meet the requirements of this Section.			
29	(a)	Placement			
30		(1) A commercial sign shall not be placed in the ROW.			
31		(2) A personal or event sign may be placed in the ROW only if permitted by DPW.			
32 33		(3) A sign shall always complement a building's character and design (e.g., walls			
33 34		signs should avoid covering building columns). A new commercial building shall provide a specific place for signs, such as a reveal (inset) in the facade, a			
34 35		canopy with concealed wiring, etc. See Figure 2.			
36	(b)	Language. The text of a sign shall always be in English, Chamorro or Carolinian. Other			
37	(0)	languages are optional. If text in any other language is included, it shall be exactly			
38		translated into English in lettering at least as large as the foreign text.			
39	(c)	Size. The size of a sign shall be determined by the area of the smallest rectangle that can be			
40	(0)	scribed around all lettering, logos, and sign graphics (see Figure 1). Frames and supports			
41		outside this area do not count toward the sign size.			
42	(d)	Height. The height of a sign shall be measured from the average grade to the top of the			
43	(-)	sign lettering or graphics. The frame of a ground-mounted sign may extend 3 ft above the			
44		sign lettering or graphics if it involves a cornice or other finishing device, if approved by			
45		the Administrator or the Board.			
46					



The size of the sign is calculated by multiplying height x's width of the smallest rectangle that can be drawn around the text and logo.

Figure 1. Method of measuring sign size



Figure 2. Appropriate sign location and size

1

2 3

4 5

6

7

8

9

10 11

12

Section 1004 Prohibited Signs

The following signs are prohibited:

- (a) A ground sign taller than 12 ft in height from the ground, or greater than 6 ft wide, except as indicated under section 1005 (a)(1)G.
- (b) A neon sign is allowed, except a sign employing moving or flashing light or video is prohibited. A sign with interchanging graphics or images within a minimum of 10sec interval is permitted. An informational sign that scrolls is acceptable with letters that are one ft in height or less. A non-moving sign that indicates price changes is acceptable.
- (c) A sign employing an exposed electrical conduit.
- (d) A visible ballast box or other equipment.
- (e) An audible or odor-producing sign.
- (f) A building or ground sign made of cardboard or other material that resembles the structure of cardboard.

- 1 (g) An above roof sign 2
 - (h) An off-premises sign, including a billboard (except a public directional, a site identification sign, or a personal event sign for a garage sale or similar event), advertising a place, service, or a specific product that is provided off-site (outside the lot where the sign is placed).
 - (i) A back-lit translucent awning or backlit awning sign.
 - (j) A mounted or freestanding reader-board sign is not permitted, except that a cinema or community center may have a changeable letter sign.
 - (k) A sign, not required by law or regulation, that is attached to a tree or light/utility pole (except as approved by CUC).
- (i) A banner sign on a building's trimming or parapet. 11
- 12

3

4

5


6 7

8

9

10

13



14 15

Figure 3. Illustration of an appropriate and inappropriate sign

16

Section 1005 Requirements for Specific Types of Signs 17

(a) Ground Sign

18 19 (1) A ground sign shall meet the requirements of this Section. (example Figure 4) 20 (A) Only one ground sign is allowed per lot smaller than 1,000 sm. For a lot 21 larger than 1,000 sm, more than one monument sign may be permitted as long as such signs are placed no closer than 150 ft apart along the street 22 23 front. 24 (B) Landscaping shall be used in conjunction with a ground sign to enhance 25 the appearance.

- (C) A ground sign shall be set back at least 4 ft from any public ROW, and 10 ft away from the edge of a street at intersections.
- (D) The lettering and logos of a ground sign may be internally-lit but the background of the sign face shall not be internally illuminated (it shall be opaque).
- (E) A ground sign may be externally illuminated only with steady, stationary, down-directed, and shielded light sources directed solely onto the sign.
- (F) A ground sign made of molded plastic or other high quality, durable material, with or without internal lighting, that is provided by a brand name product manufacturer is permitted.
 - (G) Ground Sign Size Limits
 - (i) A single tenant sign shall be no more than 10 ft in height and 40 sf in area per face (2 sign faces are allowed).
 - (ii) A multi-tenant (more than 3 tenants) sign shall be no more than 12 ft in height and 50 sf in area per face, except within the Garapan Core, Garapan East, and Tourist Resort zoning districts in Garapan
 - (iii) A ground sign for a multifamily development shall be no more than 6 ft in height and 28 sf in total sign face area.

A ground sign up to 32ft is permitted within the Garapan Core, Garapan East, and Tourist Resort zoning districts in Garapan provided that the building size parallel to the public street covers a minimum of 500ft of street frontage.



26		
27		

(b) **Building Sign**

A building sign shall meet all the requirements of this Section.

Figure 4. Example of a monument sign, one type of ground sign.

1		(1)	A building sign shall be designed and located to fit with the building's
2			architecture. For example, a building sign might fit within a recessed panel or
3			on a building element such as the trimming, fascia, or canopy.
4		(2)	A building sign should not cover an architectural element such as a window or
5			portion of a buildings ornamentation or trim.
6		(3)	A building sign may include product advertising.
7		(4)	A buildings sign shall fit parallel to or project perpendicular from a building
8		. ,	facade.
9		(5)	A projecting sign shall not extend more than 4 ft from the building facade and
10			clear the sidewalk by at least 8 ft.
11		(6)	The maximum combined surface area of all building-mounted signs for a given
12			facade is 10% of the area of the building's main façade.
13		(7)	A can sign is not permitted. Generally, this type of sign is of low quality, easily
14			broken, and not integrated into the building's architecture.
15		(8)	A building sign with back-lit letters or graphics that are part of a sign that is
16			integrated into the building's architecture is permitted (see example in
17			Figure 3).
18		(9)	A building sign shall be made of permanent, durable material that does not fade
19			or degrade Banners shall not be permitted as building signs unless supported by
20			permanent and durable materials approved by the Administrator.
21		(10)	A building sign made of molded plastic or other high quality, durable material,
22			with or without internal lighting, that is provided by a brand name product
23			manufacturer is permitted.
24		(11)	The lettering and graphic(s) of a building sign may be internally-lit but the
25			background of the sign face shall not be internally illuminated (it shall be
26			opaque).
27		(12)	A building sign may be externally illuminated only with steady, stationary,
28			down-directed, and shielded light sources directed solely onto the sign.
29		(13)	One or more internally lit letters or graphics are acceptable.
30		(14)	Each building tenant is allowed only one building sign per building face. A
31			miscellaneous tenant sign is allowed in addition to a building sign.
32	(c)	Window	sign
33		(1)	A permanent window sign shall be fabricated of permanent, durable material
34			that does not fade or degrade in direct sunlight
35		(2)	A temporary window sign, including a banner sign on or in a window, may be
36			displayed for up to 60 days. A temporary window sign shall contain the date of
37			posting in letters at least 2 inches tall as follows: Posted: [date].
38		(3)	A window sign may include product advertising.
39		(4)	The total of all window signs in a given window shall not cover or obscure
40			more than 20% of the window area.
41			
41			
42	(d)	Public an	d Directional Sign
43		(1)	A public and directional sign includes a directional sign, street name marker,
44			pedestrian trail marker, project tenant directory, kiosk, theme element, and
45			miscellaneous exterior site signage. These types of signs should share consistent
46			design patterns and express the character of a sub-area.
47	(e)		or Event Sign
48		(1)	A personal or event sign may be erected without a sign permit provided it:
49			(A) Has the installation date printed in letters at least 2 inches high;
50			(B) Is displayed for less than 30 days;

1		(C)]	Is removed within 5 days after the event; and
2			Does not, except as provided in subsection (g):
3			(i) Advertise a brand-name product;
			-
4			(ii) Contain a brand name symbol or logo; or
5		((iii) Contain a product price.
6			
7		1. A perso	onal sign includes:
8		(Å) (Garage sale sign;
9			Yard sale sign;
10			Moving sale sign;
11			For rent sign;
12			For-sale-by-owner sign; or
13		(F) l	Lost pet sign.
14			
15		2. An eve	nt sign includes:
16		(A) l	Parade sign;
17			Farmers market sign;
18			Church meeting or social sign;
19			Rosary or wake sign; or
20			• •
		(E) (Concert, festival or entertainment sign.
21			
22		A pole mo	ounted personal or event sign is not permitted.
23			
24	(f) l	Portable Sign. A	A portable sign shall:
25		(1) Be cc	onstructed of safe materials;
26		(2) Be se	curely anchored;
27			only approved electrical systems;
28			bstruct pedestrian movement; and
29			bstruct or be dangerous to motor vehicle traffic.
			÷
30			rtable sign shall be placed within 10 ft of the individual tenant entrance if
31		possi	ble, and if not, within 10 ft of the main building entrance.
32			
33	(g) l	Banner Sign	
34		(1) A bar	nner sign, except as window sign, shall not:
35		(A) A	Advertise a brand-name product;
36		(B) (Contain a brand name, symbol or logo; or
37			Contain a product price.
38			ded, a banner sign for an event (not including an event related to retail sale
39			product) may include a brand name, logo, or symbol on no more than 40%
40		of the	e total sign area.
41	Section	1006 Light	ing
42	(a)	All street lighting	g, parking lot lighting and area lighting shall either be full cut-off "dark
43			"pedestrian-oriented" lighting (see Section 103 under "pedestrian-oriented"
			pedestran-oriented inghting (see section ros under pedestran-oriented
44		space").	
45			blighting of landscape features is permitted.
46	(c) '	'Pedestrian-orier	nted lighting" shall be no taller than 15 ft mounting height.

(c) "Pedestrian-oriented lighting" shall be no taller than 15 ft mounting height.